

Styles 1400 & 1900

Valve Stem Packings
Palfoil™ Graphite Tape & Palpak™ Oriented PTFE Cord

#1400 Palfoil™

Palfoil™ is a flexible, self-forming, high-density, high-purity graphite packing material. Designed for applications where high temperature and/or fluid attack are of prime concern, Palfoil is recommended as a static or dynamic packing in pumps, valves and pipe flanges. The outstanding chemical resistance and broad temperature range of Palfoil allow it to seal in applications where conventional materials fail. Palfoil is available either as Palfoil Tape or Palfoil Preformed Rings. Palfoil meets MIL-P-24503 and is recommended for all valves where a permanent, leak-free seal is required.



#1400 PALFOIL



#1900 PALPAK

#1900 Palpak™ Service

Palpak™, style 1900 is a pure PTFE valve stem packing. Designed to provide a high degree of pliability, Palpak is ideal for packing worn valve stems, reducing the need for expensive repairs on older valves. Palpak is highly recommended for use plant wide in virtually all valves, reducing packing inventories.

How to Order

Specify: part number and quantity desired

Roll Size	Part No.	With Optional Adhesive Backing
1/4" X 25'	1401	1411
1/4" X 50'	1402	N/A
3/8" X 100'	1403	N/A
1/2" X 25'	1404	1412
1/2" X 50'	1405	N/A
1/2" X 100'	1406	N/A
3/4" X 50'	1407	1413
3/4" X 100'	1408	N/A
1" X 50'	1409	1414
1" X 100'	1410	N/A

Features

- Complies with FDA requirements, (FDA Title 21, paragraph 177.1550)
- Noncontaminating/nonstaining
- Suitable for oxygen service
- Temperature range -450°F to 550°F (-268°C to 288°C)
- pH 0 – 14

How to Order


Specify: part number and quantity desired

Diameter	Feet/Spool	Part No.	Diameter	Feet/Spool	Part No.
3/32"	50'	1902	7/32"	15'	1905
5/32"	25'	1904	9/32"	9'	1908

Palmetto® Inc. 

Distributed by

A Greene, Tweed Company
Denton Industrial Park
25 Engerman Ave., Denton, MD 21629
Phone: +1.410.479.2244, Fax: +1.410.479.0836
E-mail: palmetto@gttweed.com
Website: www.palmettopacking.com



Product data is based upon our experience and knowledge of typical applications and should be used to determine approximate service compatibility.

All trademarks are property of their respective owners.
Printed in USA ©2008 Palmetto® Inc.
06/08-GT DS-US-PI-067